

A List of the Lichens From Hardin County

Opal C. Hartline

Illinois State Normal University, Normal, Illinois

The lichens reported in this paper were collected in the Spring of 1937 by the writer. The collections were made from three regions: Hicks Dome, the ravine near the Boultinghaus Store at Sparks Hill, and the wooded area south of the Union School number four. The names used are those found in *The Lichen Flora of the United States* by Bruce Fink.

The following abbreviations are used to indicate the areas from which the specimens were collected:

H. D. Hicks Dome
S. P. Sparks Hill
U. S. Union School

Lichens of Hardin County

PARMELIACEAE

<i>Parmelia</i> borreri Turn	S.H.
physodes (L.) Ach.	U.S.
quercina (Willd.) Vainio	U.S.
rudecta Ach.	S.H.
conspersa (Ehrh.) Ach.	U.S., H.D.
perforata (Wulf.) Ach.	U.S.
sulcata Tayl.	U.S.
<i>Cetraria</i> ciliaris Ach.	U.S.

PELTIGERACEAE

<i>Peltigera</i> canina (L.) Willd.	U.S.
spuria (Ach.) DC. in Lam. and DC.	U.S.

GRAPHIDACEAE

<i>Graphis</i> scripta (L.) Ach.	H.D.
euletra Tuck.	U.S.
lineola Ach.	U.S.
<i>Phaeographis</i> dendritica (Ach.) Müll.	H.D.

ARTHONIAEAE

<i>Arthonia</i> lapidicola (Tayl.) Branth. and Rostr.	U.S.
dispersa (Schrader) Nyl.	U.S.

PHYSCLACEAE

<i>Physcia</i> stellaris (L.) Nyl.	U.S., H.D.
pulverulenta (Schreb.) Nyl.	S.H.
<i>Anaptychia</i> speciosa (Wulf.) Mass.	S.H.

USNEACEAE

<i>Usnea</i> barbata (L.) Wigg.	U.S.
--------------------------------------	------

PERTUSARIACEAE

<i>Pertusaria</i> velata (Turn.) Nyl.	U.S.
multipuncta (Turn.) Nyl.	U.S.
pertusa (L.) Tuck.	H.D.

DERMATOCARPACEAE

<i>Dermatocarpon</i> miniatum (L.) Mann.	U.S.
---	------

CLADONIAEAE

<i>Cladonia</i> mitrula Tuck.	H.D., U.S.
sylvatica (L.) Hoffm.	S.H.
fimbriata (L.) E. Fries.	H.D., U.S., S.H.
pyxidata (L.) Hoffm.	H.D., U.S., S.H.
didyma (Fée) Vainio.	H.D.
gracilis (L.) Willd., var. dilacerata Floerke.	S.H.